




---


# Thermal Transmittance (U-Value) Data US Standard Units


---





Reference #:	O136-15
Client/Site:	COMEP INFISSI SRL / USA CERTIFICATION
Spacer Type	PVC Spacer
Uw (Average)	<b>0.3046 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	1
	Type:	1
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	2
	Type:	2
	Description:	SINGLE CASEMENT WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	3
	Type:	3
	Description:	FIXED UNIT
	Quantity:	1
	Size (in):	47.24 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.2641 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	4
	Type:	4
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.2641 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	5
	Type:	5
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	6
	Type:	6
	Description:	SINGLE TILT AND TURN WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	7
	Type:	7
	Description:	LIFT AND SLIDE DOOR
	Quantity:	1
	Size (in):	78.74 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	8
	Type:	8
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	9
	Type:	9
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw (U-value)	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


Reference #:	O136-15
Client/Site:	COMEP INFISSI SRL / USA CERTIFICATION
Spacer Type:	Std Spacer
Uw (Average)	<b>0.3205 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	1
	Type:	1
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.3522 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	2
	Type:	2
	Description:	SINGLE CASEMENT WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	3
	Type:	3
	Description:	FIXED UNIT
	Quantity:	1
	Size (in):	47.24 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	4
	Type:	4
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	5
	Type:	5
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	6
	Type:	6
	Description:	SINGLE TILT AND TURN WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.3698 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	7
	Type:	7
	Description:	LIFT AND SLIDE
	Quantity:	1
	Size (in):	78.74 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.3522 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	8
	Type:	8
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	9
	Type:	9
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>


Reference #:	O136-15
Client/Site:	COMEP INFISSI SRL /USA CERTIFICATION
Spacer Type:	PVC Spacer
Uw (Average)	<b>0.2606 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	1
	Type:	1
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	2
	Type:	2
	Description:	SINGLE CASEMENT WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	3
	Type:	3
	Description:	FIXED UNIT
	Quantity:	1
	Size (in):	47.24 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2113 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	4
	Type:	4
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2289 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	5
	Type:	5
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2289 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	6
	Type:	6
	Description:	SINGLE TILT AND TURN WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	7
	Type:	7
	Description:	LIFT AND SLIDE
	Quantity:	1
	Size (in):	78.74 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Materials:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	8
	Type:	8
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Materials:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2641 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	9
	Type:	9
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Materials:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2641 Btu/(ft<sup>2</sup>·h·°F)</b>


Reference #:	O136-15
Client/Site:	COMEP INFISSI SRL /USA CERTIFICATION
Spacer Type:	PVC SPACER
Uw (Average)	<b>0.2764 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	1
	Type:	1
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	2
	Type:	2
	Description:	SINGLE CASEMENT WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	3
	Type:	3
	Description:	FIXED UNIT
	Quantity:	1
	Size (in):	47.24 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2289 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	4
	Type:	4
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2465 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	5
	Type:	5
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2465 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	6
	Type:	6
	Description:	SINGLE TILT AND TURN WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>



	Item:	7
	Type:	7
	Description:	LIFT AND SLIDE
	Quantity:	1
	Size (in):	78.74 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	8
	Type:	8
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	9
	Type:	9
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw (U-value)	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>