




---


# Thermal Transmittance (U-Value) Data US Standard Units


---




Reference #:	O136-15		
Client/Site:	COMEP INFISSI SRL / USA CERTIFICATION		
Spacer Type	PVC Spacer	VT (Average)	<b>0.2954</b> (EBE) / <b>0.4106</b> (OS2)
Uw-Value (Average)	<b>0.3046 Btu/(ft<sup>2</sup>·h·°F)</b>	SHGC (Average)	<b>0.2307</b> (EBE) / <b>0.2908</b> (OS2)
	Item:	1	
	Type:	1	
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)	
	Quantity:	1	
	Size (in):	23.62 x 59.06	
	Profile series:	OS2	
	Color:	N/A	
	Material:	Galvanized Steel	
	Glazing:	Double Glaze   PVC spacer	
Uw-Value	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>		
	Item:	2	
	Type:	2	
	Description:	SINGLE CASEMENT WINDOW (IN-SWING)	
	Quantity:	1	
	Size (in):	23.62 x 59.06	
	Profile series:	OS2	
	Color:	N/A	
	Material:	Galvanized Steel	
	Glazing:	Double Glaze   PVC spacer	
Uw-Value	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>		
	Item:	3	
	Type:	3	
	Description:	FIXED UNIT	
	Quantity:	1	
	Size (in):	47.24 x 59.06	
	Profile series:	OS2	
	Color:	N/A	
	Material:	Galvanized Steel	
	Glazing:	Double Glaze   PVC spacer	
Uw-Value	<b>0.2641 Btu/(ft<sup>2</sup>·h·°F)</b>		
	Item:	4	
	Type:	4	
	Description:	SINGLE CASEMENT DOOR (IN-SWING)	
	Quantity:	1	
	Size (in):	39.37 x 78.74	
	Profile series:	OS2	
	Color:	N/A	
	Material:	Galvanized Steel	
	Glazing:	Double Glaze   PVC spacer	
Uw-Value	<b>0.2641 Btu/(ft<sup>2</sup>·h·°F)</b>		
	Item:	5	
	Type:	5	
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)	
	Quantity:	1	
	Size (in):	39.37 x 78.74	
	Profile series:	OS2	
	Color:	N/A	
	Material:	Galvanized Steel	
	Glazing:	Double Glaze   PVC spacer	
Uw-Value	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>		
	Item:	6	
	Type:	6	
	Description:	SINGLE TILT AND TURN WINDOW (IN-SWING)	
	Quantity:	1	
	Size (in):	23.62 x 59.06	
	Profile series:	EBE-65	
	Color:	N/A	
	Material:	Galvanized Steel	
	Glazing:	Double Glaze   PVC spacer	
Uw-Value	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>		


	Item:	7
	Type:	7
	Description:	LIFT AND SLIDE DOOR
	Quantity:	1
	Size (in):	78.74 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw-Value	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	8
	Type:	8
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw-Value	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	9
	Type:	9
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double Glaze   PVC spacer
	Uw-Value	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


Reference #:	O136-15		
Client/Site:	COMEP INFISSI SRL / USA CERTIFICATION		
Spacer Type:	Std Spacer	VT (Average)	<b>0.2954</b> (EBE) / <b>0.4106</b> (OS2)
Uw-Value (Average)	<b>0.3205 Btu/(ft<sup>2</sup>·h·°F)</b>	SHGC (Average)	<b>0.2307</b> (EBE) / <b>0.2908</b> (OS2)


	Item:	1
	Type:	1
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw-Value	<b>0.3522 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	2
	Type:	2
	Description:	SINGLE CASEMENT WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw-Value	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	3
	Type:	3
	Description:	FIXED UNIT
	Quantity:	1
	Size (in):	47.24 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw-Value	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	4
	Type:	4
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw (U-value)	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	5
	Type:	5
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw-Value	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	6
	Type:	6
	Description:	SINGLE TILT AND TURN WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw-Value	<b>0.3698 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	7
	Type:	7
	Description:	LIFT AND SLIDE
	Quantity:	1
	Size (in):	78.74 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw-Value	<b>0.3522 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	8
	Type:	8
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw-Value	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	9
	Type:	9
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Double glaze   Std spacer
	Uw-Value	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>


Reference #:	O136-15		
Client/Site:	COMEP INFISSI SRL / USA CERTIFICATION		
Spacer Type:	PVC Spacer	VT (Average)	0.2954 (EBE) / 0.4106 (OS2)
Uw-Value (Average)	0.2606 Btu/(ft <sup>2</sup> ·h·°F)	SHGC (Average)	0.2307 (EBE) / 0.2908 (OS2)


	Item:	1
	Type:	1
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	0.2817 Btu/(ft <sup>2</sup> ·h·°F)


	Item:	2
	Type:	2
	Description:	SINGLE CASEMENT WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	0.2817 Btu/(ft <sup>2</sup> ·h·°F)


	Item:	3
	Type:	3
	Description:	FIXED UNIT
	Quantity:	1
	Size (in):	47.24 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	0.2113 Btu/(ft <sup>2</sup> ·h·°F)


	Item:	4
	Type:	4
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	0.2289 Btu/(ft <sup>2</sup> ·h·°F)

	Item:	5
	Type:	5
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	0.2289 Btu/(ft <sup>2</sup> ·h·°F)


	Item:	6
	Type:	6
	Description:	SINGLE TILT AND TURN WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	0.3169 Btu/(ft <sup>2</sup> ·h·°F)


	Item:	7
	Type:	7
	Description:	LIFT AND SLIDE
	Quantity:	1
	Size (in):	78.74 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Materials:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	8
	Type:	8
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Materials:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2641 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	9
	Type:	9
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Materials:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2641 Btu/(ft<sup>2</sup>·h·°F)</b>


Reference #:	O136-15		
Client/Site:	COMEP INFISSI SRL / USA CERTIFICATION		
Spacer Type:	PVC Spacer	VT (Average)	<b>0.2954</b> (EBE) / <b>0.4106</b> (OS2)
Uw (Average)	<b>0.2764 Btu/(ft<sup>2</sup>·h·°F)</b>	SHGC (Average)	<b>0.2307</b> (EBE) / <b>0.2908</b> (OS2)


	Item:	1
	Type:	1
	Description:	SINGLE CASEMENT WINDOW (OUT-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.3169 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	2
	Type:	2
	Description:	SINGLE CASEMENT WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	3
	Type:	3
	Description:	FIXED UNIT
	Quantity:	1
	Size (in):	47.24 x 59.06
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2289 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	4
	Type:	4
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2465 Btu/(ft<sup>2</sup>·h·°F)</b>


	Item:	5
	Type:	5
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	OS2
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2465 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	6
	Type:	6
	Description:	SINGLE TILT AND TURN WINDOW (IN-SWING)
	Quantity:	1
	Size (in):	23.62 x 59.06
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.3345 Btu/(ft<sup>2</sup>·h·°F)</b>



	Item:	7
	Type:	7
	Description:	LIFT AND SLIDE
	Quantity:	1
	Size (in):	78.74 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2993 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	8
	Type:	8
	Description:	SINGLE CASEMENT DOOR (IN-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>

	Item:	9
	Type:	9
	Description:	SINGLE CASEMENT DOOR (OUT-SWING)
	Quantity:	1
	Size (in):	39.37 x 78.74
	Profile series:	EBE-65
	Color:	N/A
	Material:	Galvanized Steel
	Glazing:	Triple glaze   PVC spacer
	Uw-Value	<b>0.2817 Btu/(ft<sup>2</sup>·h·°F)</b>